ELSEVIER

Journal of Organometallic Chemistry 486 (1994) C4–C5

Journal of Organometallic Chemistry

Author Index of Volume 486

Afshari, M., 69
Ahlgrén, M., 193, 217
Ali, S., 51
Alt, H.G., 51
Andersen, R.A., 177
André, J.-J., 95
Anguiano, J., 45
Armstrong, D.R., 79

Badshah, A., 51
Baldoli, C., 279
Baum, G., 229
Baxter, P.N.W., 115
Beletskaya, I.P., 259, 297
Bernard, M., 95
Biesemans, M., 263
Bochkarev, M.N., 177
Brauer, D.J., 129
Brik, M.E., 283
Brunet, J.-J., 275
Brunette, J.-P., 95
Bumagin, N.A., 259
Bykov, V.V., 259

Cambie, R.C., 199
Cannadine, J.C., 237
Cano, M., 63
Casellato, U., 105
Cheprakov, A.V., 297
Chou, Y.C., 147
Chung, T.-M., 211
Chung, Y.K., 135, 141, 211
Clegg, W., 79
Cloke, F.G.N., 177
Connor, J.A., 115

Dahmen, K.-H., 37
Dalby, C.I., 177
Danish, M., 51
Daran, J.C., 283
Del Buttero, P., 279
Delcourt, M.O., 283
Doak, G.O., 1

El Zaizi, A., 275
Errington, W., 237

Fawcett, J., 171
Fenn, D., 237
Fernández Sanz, J., 45

Freedman, L.D., 1
Fu, F., 263

Gerfin, T., 37
Gielen, M., 263
Girdwood, S.E., 183
Goddard, R., 163
Gonçalves, I.S., 155
González, G., 45
Gramlich, V., 37
Graziani, R., 105
Gregor, I.K., 109
Gregor, R.C., 109
Gross, M., 95
Guillemin, J.-C., 57

Habel, W., 267
Haubtmann, C., 95
Hemling, H., 177
Henderson, K.W., 79
Heras, J.V., 63
Herberhold, M., 255
Herrmann, W.A., 291
Hey-Hawkins, E., 229
Hofmann, T., 255
Hopp, G., 163

Imhof, D., 37

Jääskeläinen, S., 217
Janati, T., 57
Jolly, P.W., 163
Jung, J.-H., 211
Jutzi, P., 287

Kane-Maguire, L.A.P., 243
Kanitz, R., 243
Kayser, F., 263
Kemmitt, R.D.W., 171
Kim, J.-A., 211
Kleimeier, J., 287
Krüger, C., 163
Kuncaka, A., 95
Kurz, S., 229

Léandri, G., 69
Lee, S.-g., 135
Lee, S.S., 141
Lee, S.W., 141, 211

Lee, T.-Y., 141
Leino, R.P., 193
Licandro, E., 279
Lin, J.T., 147
Loebel, J., 177
Louati, A., 95
Luttikhedde, H.J.G., 193

MacGregor, M., 79
Maiorana, S., 279
Márquez, A., 45
Mashima, K., 291
Matsunaga, P.T., 177
Mazhar, M., 51
Mel'nikov, M.Ya., 249
Monflier, E., 123
Monti, H., 69
Moore, P., 237
Morawietz, M.J.A., 291
Mortreux, A., 123
Muir, K.W., 183
Mulvey, R.E., 79
Mynott, R., 163

Näsman, J.H., 193
Nazar-ul-Islam,, 51
Nield, E., 237

Oelschläger, A., 267
O'Neil, P.A., 79
Ovejero, P., 63

Pakkanen, T., 193
Pakkanen, T.A., 217
Pan, H., 263
Papagni, A., 279
Pawelke, G., 129
Pellegrini, S., 123
Peruzzo, V., 105
Pétillon, F.Y., 183
Pichon, R., 183
Plazzogna, G., 105
Poder-Guillou, S., 183
Ponomareva, N.V., 297
Prasad, R., 31
Priermeier, T., 291
Pursiainen, J., 217

ELSEVIER

Journal of Organometallic Chemistry 486 (1994) C4–C5

Journal of Organometallic Chemistry

Author Index of Volume 486

Afshari, M., 69
Ahlgrén, M., 193, 217
Ali, S., 51
Alt, H.G., 51
Andersen, R.A., 177
André, J.-J., 95
Anguiano, J., 45
Armstrong, D.R., 79

Badshah, A., 51
Baldoli, C., 279
Baum, G., 229
Baxter, P.N.W., 115
Beletskaya, I.P., 259, 297
Bernard, M., 95
Biesemans, M., 263
Bochkarev, M.N., 177
Brauer, D.J., 129
Brik, M.E., 283
Brunet, J.-J., 275
Brunette, J.-P., 95
Bumagin, N.A., 259
Bykov, V.V., 259

Cambie, R.C., 199
Cannadine, J.C., 237
Cano, M., 63
Casellato, U., 105
Cheprakov, A.V., 297
Chou, Y.C., 147
Chung, T.-M., 211
Chung, Y.K., 135, 141, 211
Clegg, W., 79
Cloke, F.G.N., 177
Connor, J.A., 115

Dahmen, K.-H., 37
Dalby, C.I., 177
Danish, M., 51
Daran, J.C., 283
Del Buttero, P., 279
Delcourt, M.O., 283
Doak, G.O., 1

El Zaizi, A., 275
Errington, W., 237

Fawcett, J., 171
Fenn, D., 237
Fernández Sanz, J., 45

Freedman, L.D., 1
Fu, F., 263

Gerfin, T., 37
Gielen, M., 263
Girdwood, S.E., 183
Goddard, R., 163
Gonçalves, I.S., 155
González, G., 45
Gramlich, V., 37
Graziani, R., 105
Gregor, I.K., 109
Gregor, R.C., 109
Gross, M., 95
Guillemin, J.-C., 57

Habel, W., 267
Haubtmann, C., 95
Hemling, H., 177
Henderson, K.W., 79
Heras, J.V., 63
Herberhold, M., 255
Herrmann, W.A., 291
Hey-Hawkins, E., 229
Hofmann, T., 255
Hopp, G., 163

Imhof, D., 37

Jääskeläinen, S., 217
Janati, T., 57
Jolly, P.W., 163
Jung, J.-H., 211
Jutzi, P., 287

Kane-Maguire, L.A.P., 243
Kanitz, R., 243
Kayser, F., 263
Kemmitt, R.D.W., 171
Kim, J.-A., 211
Kleimeier, J., 287
Krüger, C., 163
Kuncaka, A., 95
Kurz, S., 229

Léandri, G., 69
Lee, S.-g., 135
Lee, S.S., 141
Lee, S.W., 141, 211

Lee, T.-Y., 141
Leino, R.P., 193
Licandro, E., 279
Lin, J.T., 147
Loebel, J., 177
Louati, A., 95
Luttikhedde, H.J.G., 193

MacGregor, M., 79
Maiorana, S., 279
Márquez, A., 45
Mashima, K., 291
Matsunaga, P.T., 177
Mazhar, M., 51
Mel'nikov, M.Ya., 249
Monflier, E., 123
Monti, H., 69
Moore, P., 237
Morawietz, M.J.A., 291
Mortreux, A., 123
Muir, K.W., 183
Mulvey, R.E., 79
Mynott, R., 163

Näsman, J.H., 193
Nazar-ul-Islam,, 51
Nield, E., 237

Oelschläger, A., 267
O'Neil, P.A., 79
Ovejero, P., 63

Pakkanen, T., 193
Pakkanen, T.A., 217
Pan, H., 263
Papagni, A., 279
Pawelke, G., 129
Pellegrini, S., 123
Peruzzo, V., 105
Pétillon, F.Y., 183
Pichon, R., 183
Plazzogna, G., 105
Poder-Guillou, S., 183
Ponomareva, N.V., 297
Prasad, R., 31
Priermeier, T., 291
Pursiainen, J., 217

Razskazovskii, Yu.V., 249
Remita, H., 283
Riether, K.-B., 123
Roginskaya, M.V., 249
Romão, C.C., 155
Ross, M.J., 79
Russell, D.R., 171
Rutledge, P.S., 199

Sartori, P., 267
Schollhammer, P., 183
Schumann, H., 177
Serindag, O., 171
Sheil, M.M., 243
Shin, W., 135
Sieler, J., 229
Soufiaoui, M., 57
Stevenson, R.J., 199
Sugano, K., 21
Sukhomlinova, L.I., 259

Talarmin, J., 183
Tanase, T., 21
Teppana, T., 217
Tolstaya, T.P., 259
Trifonov, A.A., 177
Tsai, T.Y.R., 147

Venanzi, L.M., 37

Wallbridge, M.G.H., 237
Wen, Y.S., 147
Willem, R., 263
Wirtz, C., 163
Woodgate, P.D., 199
Wrackmeyer, B., 255

Yamamoto, Y., 21
Yeh, A.C., 147
Yoon, T.-S., 135

Zanotti-Gerosa, A., 279

ELSEVIER

Journal of Organometallic Chemistry 486 (1994) C6–C13

Journal of Organometallic Chemistry

Subject Index of Volume 486

Ab initio
Synthetic and theoretical MO calculational studies of lithiotriazine intermediates produced during alkyllithium-induced cyclotrimerisation reactions of organic nitriles, and comparison of their structures with that of a methylmagnesiotriazine derivative (D.R. Armstrong, K.W. Henderson, M. MacGregor, R.E. Mulvey, M.J. Ross, W. Clegg and P.A. O'Neil), 79

Ab-initio calculations
A theoretical approach to the molecular structure of vinylstannane and some structural isomers (A. Márquez, J. Anguiano, G. González and J. Fernández Sanz), 45

Acetylacetonate
Radiolytic synthesis and characterization of $[Ru^{II}(acac)_2(CO)L]$ (L = MeOH, EtOH or Pr^iOH) (H. Remita, M.E. Brik, J.C. Daran and M.O. Delcourt), 283

Acyl compound
Reactivity of $[(1,2,3,4\text{-tetrahydronaphthalene})Mn(CO)_3]PF_6$: molecular structure of $[(1,2,3,4\text{-tetrahydronaphthalene})Mn(CO)_2(C(O)Me)]$ (T.-Y. Lee, S.S. Lee, Y.K. Chung and S.W. Lee), 141

Addition-protonation
Addition–protonation reactions of (η^6-arene)tricarbonylchromium(0) complexes of podocarpic acid derivatives: synthesis of steroidal alicyclic skeletons (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 199

Adducts
Amine adducts of bis(trifluoromethyl)borane, $(CF_3)_2BH$, crystal and molecular structure of $(CF_3)_2BH \cdot NMe_2CH_2Ph$ (D.J. Brauer and G. Pawelke), 129

Allyltrimethylsilane
Etude de la réactivité de l'allyltriméthylsilane avec les cétones α-cyclopropaniques en présence de tétrachlorure de titane (H. Monti, M. Afshari et G. Léandri), 69

Aluminium
Group 13 tetraazamacrocyclic complexes. The synthesis and characterisation of the monomethyl- and dimethyl-aluminium(III) and gallium(III) complexes of the two tetraazamacrocyclic ligands *omtaa*$^{2-}$ (H_2*omtaa* = 2,3,6,8,11,12,15,17-octamethyl-5,14-dihydro-(H_2*tmtaa* = 6,8,15,17-tetramethyl-5,14-dihydro-5,9,14,18-tetraaza-dibenzo[*a*,*h*]cyclotetradecene), and the crystal structure of [MeGa(*omtaa*)] (J.C. Cannadine, W. Errington, P. Moore, M.G.H. Wallbridge, E. Nield and D. Fenn), 237

Amino Donor Ligands
Cyclische Amine als intramolekulare Hilfsliganden in π-Komplexen des Titans (W.A. Herrmann, M.J.A. Morawietz, T. Priermeier und K. Mashima), 291

Aminomethylphosphines
Zerovalent palladium and platinum complexes of aminomethylphosphines. Crystal structure of the palladium(0) dibenzylideneacetone complex $[Pd(PhCH{=}CHCO{=}CHPh)(((C_6H_{11})_2PCH_2)_2NMe)]$ (J. Fawcett, R.D.W. Kemmitt, D.R. Russell and O. Serindag), 171

Ansa-bridging
Synthesis and characterization of *ansa*-[1,1-bis(inden-1,1-diyl)-1-silacyclopentane]zirconium dichlorides. Crystal structures of *meso*- and *racemic*-[1,1-bis[inden-1,1-diyl)-1-silacyclopentane]-dichlorozirconium and *racemic*-[1,1-bis(4,5,6,7-tetrahydroinden-1,1-diyl)-1-sila-cylopentane]dichlorozirconium (H.J.G. Luttikhedde, R.P. Leino, J.H. Näsman, M. Ahlgrén and T. Pakkanen), 193

Antimony
Antimony. Annual review covering the year 1991 (L.D. Freedman and G.O. Doak), 1

Arene complexes
Addition–protonation reactions of (η^6-arene)tricarbonylchromium(0) complexes of podocarpic acid derivatives: synthesis of steroidal alicyclic skeletons (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 199

Aryl
Palladium-catalyzed arylation of styrene and acrylic acid in water (N.A. Bumagin, V.V. Bykov, L.I. Sukhomlinova, T.P. Tolstaya and I.P. Beletskaya), 259

Aryl iodides
Synthesis of benzophenone by carbonylation of iodobenzene with $[Bu^n_4N][HFe(CO)_4]$ (J.-J. Brunet and A. El Zaizi), 275

Benzophenone
Synthesis of benzophenone by carbonylation of iodobenzene with $[Bu^n_4N][HFe(CO)_4]$ (J.-J. Brunet and A. El Zaizi), 275

Biological activity
Organotin esters of 3-(2-furanyl)-2-propenoic acid: their characterization and biological activity (M. Danish, H.G. Alt, A. Badshah, S. Ali, M. Mazhar and Nazar-ul-Islam), 51

Bipyridine
Solvatochromism in substituted 2,2′-bipyridinetetracarbonyl–metal complexes of chromium, molybdenum and tungsten (P.N.W. Baxter and J.A. Connor), 115

Bis(trifluoromethyl)borane
Amine adducts of bis(trifluoromethyl)borane, $(CF_3)_2BH$, crystal and molecular structure of $(CF_3)_2BH \cdot NMe_2CH_2Ph$ (D.J. Brauer and G. Pawelke), 129

Bridging thiolate
Reactions of di- and poly-nuclear complexes. 13. Synthesis, structure and fluxional behaviour of hydrido- and thiolato- or selenato-bridged complexes $[Mo_2Cp_2(\mu\text{-}H)(\mu\text{-}ER)(CO)_4]$ (E = S, R = Me, ^{t}Bu, Bz, or Ph; E = Se, R = Ph) (P. Schollhammer, F.Y. Pétillon, R. Pichon, S. Poder-Guillou, J. Talarmin, K.W. Muir and S.E. Girdwood), 183

Carbene complex
The first chiral racemic Fischer-type aminocarbene complex bearing a C_2 symmetry amine: stereochemical characteristics and application to Michael addition reactions (C. Baldoli, P. Del Buttero, E. Licandro, S. Maiorana, A. Papagni and A. Zanotti-Gerosa), 279

Carbon monoxide
Palladium catalyzed carbonylation of iodoarenes in aqueous solubilized systems (A.V. Cheprakov, N.V. Ponomareva and I.P. Beletskaya), 297

Carbonyl
Addition–protonation reactions of (η^6-arene)tricarbonylchromium(0) complexes of podocarpic acid derivatives: synthesis of steroidal alicyclic skeletons (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 199
Chemistry of coordinatively unsaturated and electron deficient carbonyl metallate ions. Gas phase reactions of $[Fe(CO)_2]^-$ with alcohols (I.K. Gregor and R.C. Gregor), 109
Solvatochromism in substituted 2,2′-bipyridinetetracarbonyl–metal complexes of chromium, molybdenum and tungsten (P.N.W. Baxter and J.A. Connor), 115

Carbonylation
Palladium catalyzed carbonylation of iodoarenes in aqueous solubilized systems (A.V. Cheprakov, N.V. Ponomareva and I.P. Beletskaya), 297
Synthesis of benzophenone by carbonylation of iodobenzene with $[Bu^n_4N][HFe(CO)_4]$ (J.-J. Brunet and A. El Zaizi), 275

Catalysis
Palladium-catalyzed arylation of styrene and acrylic acid in water (N.A. Bumagin, V.V. Bykov, L.I. Sukhomlinova, T.P. Tolstaya and I.P. Beletskaya), 259

Chromium
Addition–protonation reactions of (η^6-arene)tricarbonylchromium(0) complexes of podocarpic acid derivatives: synthesis of steroidal alicyclic skeletons (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 199
Comparison of electrospray mass spectrometry with other soft ionization techniques for the characterisation of cationic π-hydrocarbon organometallic complexes (L.A.P. Kane-Maguire, R. Kanitz and M.M. Sheil), 243
Phosphido bridged heterodinuclear (Mn/Fe, Mn/Cr, Mn/W) complexes (J.T. Lin, A.C. Yeh, Y.C. Chou, T.Y.R. Tsai and Y.S. Wen), 147
Solvatochromism in substituted 2,2′-bipyridinetetracarbonyl–metal complexes of chromium, molybdenum and tungsten (P.N.W. Baxter and J.A. Connor), 115
The first chiral racemic Fischer-type aminocarbene complex bearing a C_2 symmetry amine: stereochemical characteristics and application to Michael addition reactions (C. Baldoli, P. Del Buttero, E. Licandro, S. Maiorana, A. Papagni and A. Zanotti-Gerosa), 279

Cluster
Synthesis and X-ray crystal structure of the heterometallic platinum–mercury cluster $[\{Pt_4(\mu\text{-}CO)_4(PMe_2Ph)_4\}(\mu_3\text{-}HgI)_2]$ (K.-H. Dahmen, D. Imhof, L.M. Venanzi, T. Gerfin and V. Gramlich), 37
Tetrahydrothiophene derivatives of metal carbonyl clusters (T. Teppana, S. Jääskeläinen, M. Ahlgrén, J. Pursiainen and T.A. Pakkanen), 217

Cobalt
A convenient electrosynthesis of new complexes $[Sn\{Co(CO)_3PR_3\}_4]$ and their spectroscopic characterization (K.-B. Riether, S. Pellegrini, A. Mortreux and E. Monflier), 123
Electrochemical reduction of 1,10-bis(1-phenyl-3-methyl-5-hydroxy-4-pyrazolyl)-1,10-decanedione. Characterization of its electrogenerated mononuclear Co^{II}, Ni^{II} and Cu^{II} complexes. ESR properties of Co^{II} and Cu^{II} complexes (A. Louati, A. Kuncaka, M. Gross, C. Haubtmann, M. Bernard, J.-J. André and J.-P. Brunette), 95
Reactions of dicobalt octa(isocyanide) with 2-bromoacetophenone (Y. Yamamoto, T. Tanase and K. Sugano), 21
Tetrahydrothiophene derivatives of metal carbonyl clusters (T. Teppana, S. Jääskeläinen, M. Ahlgrén, J. Pursiainen and T.A. Pakkanen), 217

Copper
Electrochemical reduction of 1,10-bis(1-phenyl-3-methyl-5-hydroxy-4-pyrazolyl)-1,10-decanedione. Characterization of its electrogenerated mononuclear Co^{II}, Ni^{II} and Cu^{II} complexes. ESR properties of Co^{II} and Cu^{II} complexes (A. Louati, A. Kuncaka, M. Gross, C. Haubtmann, M. Bernard, J.-J. André and J.-P. Brunette), 95

^{53}Cr NMR
Characterization of manganese sandwich complexes by ^{55}Mn NMR spectroscopy (B. Wrackmeyer, T. Hofmann and M. Herberhold), 255

Crystal structure
Group 13 tetraazamacrocyclic complexes. The synthesis and characterisation of the monomethyl- and dimethyl-aluminium(III) and gallium(III) complexes of the two tetraazamacrocyclic ligands *omtaa*$^{2-}$ (H_2*omtaa* = 2,3,6,8,11,12,15,17-octamethyl-5,14-dihydro-(H_2*tmtaa* = 6,8,15,17-tetramethyl-5,14-dihydro-5,9,14,18-tetraaza-dibenzo[*a*,*h*]cyclotetradecene), and the crystal structure of [MeGa(*omtaa*)] (J.C. Cannadine, W. Errington, P. Moore, M.G.H. Wallbridge, E. Nield and D. Fenn), 237
Reactions of di- and poly-nuclear complexes. 13. Synthesis, structure and fluxional behaviour of hydrido- and thiolato- or selenato-bridged complexes $[Mo_2Cp_2(\mu\text{-}H)(\mu\text{-}ER)(CO)_4]$ (E = S, R = Me, ^{t}Bu, Bz, or Ph; E = Se, R = Ph) (P. Schollhammer, F.Y. Pétillon, R. Pichon, S. Poder-Guillou, J. Talarmin, K.W. Muir and S.E. Girdwood), 183
Synthesis and characterization of *ansa*-[1,1-bis(inden-1,1-diyl)-1-silacyclopentane]zirconium dichlorides. Crystal structures of *meso*- and *racemic*-[1,1-bis[inden-1,1-diyl)-1-silacyclopentane]-dichlorozirconium and *racemic*-[1,1-bis(4,5,6,7-tetrahydroinden-1,1-diyl)-1-sila-cylopentane]dichlorozirconium (H.J.G. Luttikhedde, R.P. Leino, J.H. Näsman, M. Ahlgrén and T. Pakkanen), 193
Synthesis and properties of 1,3- and 1,4-$\{(\eta^5\text{-}C_5H_6)Mn(CO)_3\}_2$-$C_5H_4$: molecular structure of $[(\mu\text{-}\eta^5:\eta^5:\eta^5\text{-}C_{17}H_{15})(CH_3)Mn_2W(CO)_9]$ (J.-A. Kim, T.-M. Chung, Y.K. Chung, J.-H. Jung and S.W. Lee), 211
Synthetic and theoretical MO calculational studies of lithiotriazine intermediates produced during alkyllithium-induced cyclotrimerisation reactions of organic nitriles, and comparison of their structures with that of a methylmagnesiotriazine derivative (D.R. Armstrong, K.W. Henderson, M. MacGregor, R.E. Mulvey, M.J. Ross, W. Clegg and P.A. O'Neil), 79
Zerovalent palladium and platinum complexes of aminomethylphosphines. Crystal structure of the palladium(0) dibenzyli-

deneacetone complex [Pd(PhCH=CHCO=CHPh){((C_6H_{11})$_2$PCH$_2$)$_2$NMe}] (J. Fawcett, R.D.W. Kemmitt, D.R. Russell and O. Serindag), 171

Cycloheptadienyl
Reaction of tricarbonyl(η^6-cycloheptatriene)manganese cation with phosphorus ylides (S.-g. Lee, Y.K. Chung, T.-S. Yoon and W. Shin), 135

Cycloheptatriene
Reaction of tricarbonyl(η^6-cycloheptatriene)manganese cation with phosphorus ylides (S.-g. Lee, Y.K. Chung, T.-S. Yoon and W. Shin), 135

Cyclohexadienyl
Reactivity of [(1,2,3,4-tetrahydronaphthalene)Mn(CO)$_3$]PF$_6$: molecular structure of [(1,2,3,4-tetrahydronaphthalene)Mn(CO)$_2$(C(O)Me)] (T.-Y. Lee, S.S. Lee, Y.K. Chung and S.W. Lee), 141
Synthesis and properties of 1,3- and 1,4-{(η^5-C_6H_6)Mn(CO)$_3$}$_2$-C_5H_4: molecular structure of [(μ-η^5:η^5:η^5-$C_{17}H_{15}$)(CH_3)-Mn$_2$W(CO)$_9$] (J.-A. Kim, T.-M. Chung, Y.K. Chung, J.-H. Jung and S.W. Lee), 211

Cyclopentadienyl
Cyclische Amine als intramolekulare Hilfsliganden in π-Komplexen des Titans (W.A. Herrmann, M.J.A. Morawietz, T. Priermeier und K. Mashima), 291
Der (*N*,*N*-Dimethylaminoethyl)cyclopentadienyl-Ligand in der Komplexchemie von Titan und Zirkon (P. Jutzi und J. Kleimeier), 287
Synthesis and properties of 1,3- and 1,4-{(η^5-C_6H_6)Mn(CO)$_3$}$_2$-C_5H_4: molecular structure of [(μ-η^5:η^5:η^5-$C_{17}H_{15}$)(CH_3)-Mn$_2$W(CO)$_9$] (J.-A. Kim, T.-M. Chung, Y.K. Chung, J.-H. Jung and S.W. Lee), 211
Synthesis of mixed-ring indenyl analogues of tungstenocene (I.S. Gonçalves and C.C. Romão), 155
Synthesis, spectral and electrochemical aspects of maleonitriledithiolate and dibenzyldithiomaleonitrile complexes of cyclopentadienylruthenium(II) (R. Prasad), 31

2D EXSY NMR
Study of halogen exchanges in (Z)-1-[2-(Bromochlorophenylstannyl)vinyl]-1-cyclohexanol by 2D ^{119}Sn EXSY NMR (F. Kayser, M. Biesemans, F. Fu, H. Pan, M. Gielen and R. Willem), 263

Diazabutadiene
Synthesis, magnetic susceptibility and X-ray crystal structure of (^{t}BuNCHCHN^{t}Bu)$_3$Yb (M.N. Bochkarev, A.A. Trifonov, F.G.N. Cloke, C.I. Dalby, P.T. Matsunaga, R.A. Andersen, H. Schumann, J. Loebel and H. Hemling), 177

Dibenzylideneacetone
Zerovalent palladium and platinum complexes of aminomethylphosphines. Crystal structure of the palladium(0) dibenzylideneacetone complex [Pd(PhCH=CHCO=CHPh){((C_6H_{11})$_2$PCH$_2$)$_2$NMe}] (J. Fawcett, R.D.W. Kemmitt, D.R. Russell and O. Serindag), 171

1,3-Diketones
The palladium-catalyzed intramolecular cyclization of alkadienyl-substituted 1,3-diketones (R. Goddard, G. Hopp, P.W. Jolly, C. Krüger, R. Mynott and C. Wirtz), 163

Dinuclear diphosphine complexes
Heterobimetallic Group 6-rhodium complexes III. [M(CO)$_3$(NN)-(dppm-*P*)] (M = Mo, W; NN = phen or bpy) as *P*-donor in M–Rh complexes (M. Cano, P. Ovejero and J.V. Heras), 63

Diphenylphosphinemethane
Heterobimetallic Group 6-rhodium complexes III. [M(CO)$_3$(NN)-(dppm-*P*)] (M = Mo, W; NN = phen or bpy) as *P*-donor in M–Rh complexes (M. Cano, P. Ovejero and J.V. Heras), 63

Dithioether
Synthesis, spectral and electrochemical aspects of maleonitriledithiolate and dibenzyldithiomaleonitrile complexes of cyclopentadienylruthenium(II) (R. Prasad), 31

Electrochemistry
A convenient electrosynthesis of new complexes [Sn{Co(CO)$_3$-PR$_3$}$_4$] and their spectroscopic characterization (K.-B. Riether, S. Pellegrini, A. Mortreux and E. Monflier), 123
Electrochemical reduction of 1,10-bis(1-phenyl-3-methyl-5-hydroxy-4-pyrazolyl)-1,10-decanedione. Characterization of its electrogenerated mononuclear Co^{II}, Ni^{II} and Cu^{II} complexes. ESR properties of Co^{II} and Cu^{II} complexes (A. Louati, A. Kuncaka, M. Gross, C. Haubtmann, M. Bernard, J.-J. André and J.-P. Brunette), 95
Synthesis, spectral and electrochemical aspects of maleonitriledithiolate and dibenzyldithiomaleonitrile complexes of cyclopentadienylruthenium(II) (R. Prasad), 31

Electrospray mass spectrometry
Comparison of electrospray mass spectrometry with other soft ionization techniques for the characterisation of cationic π-hydrocarbon organometallic complexes (L.A.P. Kane-Maguire, R. Kanitz and M.M. Sheil), 243

EPR
Electrochemical reduction of 1,10-bis(1-phenyl-3-methyl-5-hydroxy-4-pyrazolyl)-1,10-decanedione. Characterization of its electrogenerated mononuclear Co^{II}, Ni^{II} and Cu^{II} complexes. ESR properties of Co^{II} and Cu^{II} complexes (A. Louati, A. Kuncaka, M. Gross, C. Haubtmann, M. Bernard, J.-J. André and J.-P. Brunette), 95

Esters
Organotin esters of 3-(2-furanyl)-2-propenoic acid: their characterization and biological activity (M. Danish, H.G. Alt, A. Badshah, S. Ali, M. Mazhar and Nazar-ul-Islam), 51

Fluxional behavior
Reactions of di- and poly-nuclear complexes. 13. Synthesis, structure and fluxional behaviour of hydrido- and thiolato- or selenato-bridged complexes [Mo$_2$Cp$_2$(μ-H)(μ-ER)(CO)$_4$] (E = S, R = Me, ^{t}Bu, Bz, or Ph; E = Se, R = Ph) (P. Schollhammer, F.Y. Pétillon, R. Pichon, S. Poder-Guillou, J. Talarmin, K.W. Muir and S.E. Girdwood), 183

3-(2-furanyl)-2-propenoic acid
Organotin esters of 3-(2-furanyl)-2-propenoic acid: their characterization and biological activity (M. Danish, H.G. Alt, A. Badshah, S. Ali, M. Mazhar and Nazar-ul-Islam), 51

Gallium
Group 13 tetraazamacrocyclic complexes. The synthesis and characterisation of the monomethyl- and dimethyl-aluminium(III) and gallium(III) complexes of the two tetraazamacrocyclic ligands *omtaa*$^{2-}$ (H_2*omtaa* = 2,3,6,8,11,12,15,17-octamethyl-5,14-dihydro-(H_2*tmtaa* = 6,8,15,17-tetramethyl-5,14-dihydro-5,9,14,18-tetraaza-dibenzo[*a*,*h*]cyclotetradecene), and the crystal structure of [MeGa(*omtaa*)] (J.C. Cannadine, W. Errington, P. Moore, M.G.H. Wallbridge, E. Nield and D. Fenn), 237

Halogen exchange
Study of halogen exchanges in (Z)-1-[2-(Bromochlorophenylstannyl)vinyl]-1-cyclohexanol by 2D ^{119}Sn EXSY NMR (F. Kayser, M. Biesemans, F. Fu, H. Pan, M. Gielen and R. Willem), 263

Hartree-Fock
A theoretical approach to the molecular structure of vinylstannane and some structural isomers (A. Márquez, J. Anguiano, G. González and J. Fernández Sanz), 45
Heterobimetallic complexes
Heterobimetallic Group 6-rhodium complexes III. $[M(CO)_3(NN)(dppm\text{-}P)]$ (M = Mo, W; NN = phen or bpy) as *P*-donor in M–Rh complexes (M. Cano, P. Ovejero and J.V. Heras), 63
Heterobimetallics
Phosphido bridged heterodinuclear (Mn/Fe, Mn/Cr, Mn/W) complexes (J.T. Lin, A.C. Yeh, Y.C. Chou, T.Y.R. Tsai and Y.S. Wen), 147
Synthesis and X-ray crystal structure of the heterometallic platinum–mercury cluster $[\{Pt_4(\mu\text{-}CO)_4(PMe_2Ph)_4\}(\mu_3\text{-}HgI)_2]$ (K.-H. Dahmen, D. Imhof, L.M. Venanzi, T. Gerfin and V. Gramlich), 37
Hydride
Tetrahydrothiophene derivatives of metal carbonyl clusters (T. Teppana, S. Jääskeläinen, M. Ahlgrén, J. Pursiainen and T.A. Pakkanen), 217
Vinylstannanes: synthesis and characterization (T. Janati, J.-C. Guillemin and M. Soufiaoui), 57
Hydride ligands
Reactions of di- and poly-nuclear complexes. 13. Synthesis, structure and fluxional behaviour of hydrido- and thiolato- or selenato-bridged complexes $[Mo_2Cp_2(\mu\text{-}H)(\mu\text{-}ER)(CO)_4]$ (E = S, R = Me, ^{t}Bu, Bz, or Ph; E = Se, R = Ph) (P. Schollhammer, F.Y. Pétillon, R. Pichon, S. Poder-Guillou, J. Talarmin, K.W. Muir and S.E. Girdwood), 183
π-Hydrocarbon complexes
Comparison of electrospray mass spectrometry with other soft ionization techniques for the characterisation of cationic π-hydrocarbon organometallic complexes (L.A.P. Kane-Maguire, R. Kanitz and M.M. Sheil), 243

Indenyl
Synthesis and characterization of *ansa*-[1,1-bis(inden-1,1-diyl)-1-silacyclopentane]zirconium dichlorides. Crystal structures of *meso*- and *racemic*-[1,1-bis[inden-1,1-diyl)-1-silacyclopentane]-dichlorozirconium and *racemic*-[1,1-bis(4,5,6,7-tetrahydroinden-1,1-diyl)-1-sila-cylopentane]dichlorozirconium (H.J.G. Luttikhedde, R.P. Leino, J.H. Näsman, M. Ahlgrén and T. Pakkanen), 193
Indenyl compounds
Synthesis of mixed-ring indenyl analogues of tungstenocene (I.S. Gonçalves and C.C. Romão), 155
Insertion
Reactions of dicobalt octa(isocyanide) with 2-bromoacetophenone (Y. Yamamoto, T. Tanase and K. Sugano), 21
Intramolecular cyclization
The palladium-catalyzed intramolecular cyclization of alkadienyl-substituted 1,3-diketones (R. Goddard, G. Hopp, P.W. Jolly, C. Krüger, R. Mynott and C. Wirtz), 163
Ion cyclotron resonance
Chemistry of coordinatively unsaturated and electron deficient carbonyl metallate ions. Gas phase reactions of $[Fe(CO)_2]^-$ with alcohols (I.K. Gregor and R.C. Gregor), 109
Ion/molecule reactions
Chemistry of coordinatively unsaturated and electron deficient carbonyl metallate ions. Gas phase reactions of $[Fe(CO)_2]^-$ with alcohols (I.K. Gregor and R.C. Gregor), 109
Iron
Chemistry of coordinatively unsaturated and electron deficient carbonyl metallate ions. Gas phase reactions of $[Fe(CO)_2]^-$ with alcohols (I.K. Gregor and R.C. Gregor), 109
Comparison of electrospray mass spectrometry with other soft ionization techniques for the characterisation of cationic π-hydrocarbon organometallic complexes (L.A.P. Kane-Maguire, R. Kanitz and M.M. Sheil), 243
Phosphido bridged heterodinuclear (Mn/Fe, Mn/Cr, Mn/W) complexes (J.T. Lin, A.C. Yeh, Y.C. Chou, T.Y.R. Tsai and Y.S. Wen), 147
Isocyanide
Reactions of dicobalt octa(isocyanide) with 2-bromoacetophenone (Y. Yamamoto, T. Tanase and K. Sugano), 21

Kinetics
The reactions of silylenes on the chemically activated silica surface (Yu.V. Razskazovskii, M.V. Roginskaya and M.Ya. Mel'nikov), 249

Lewis acids
Etude de la réactivité de l'allyltriméthylsilane avec les cétones α-cyclopropaniques en présence de tétrachlorure de titane (H. Monti, M. Afshari et G. Léandri), 69
Lithium
Synthetic and theoretical MO calculational studies of lithiotriazine intermediates produced during alkyllithium-induced cyclotrimerisation reactions of organic nitriles, and comparison of their structures with that of a methylmagnesiotriazine derivative (D.R. Armstrong, K.W. Henderson, M. MacGregor, R.E. Mulvey, M.J. Ross, W. Clegg and P.A. O'Neil), 79

Macrocycles
Group 13 tetraazamacrocyclic complexes. The synthesis and characterisation of the monomethyl- and dimethyl-aluminium(III) and gallium(III) complexes of the two tetraazamacrocyclic ligands *omtaa*$^{2-}$ (H_2*omtaa* = 2,3,6,8,11,12,15,17-octamethyl-5,14-dihydro-(H_2*tmtaa* = 6,8,15,17-tetramethyl-5,14-dihydro-5,9,14,18-tetraaza-dibenzo[*a*,*h*]cyclotetradecene), and the crystal structure of [MeGa(*omtaa*)] (J.C. Cannadine, W. Errington, P. Moore, M.G.H. Wallbridge, E. Nield and D. Fenn), 237
Magnesium
Synthetic and theoretical MO calculational studies of lithiotriazine intermediates produced during alkyllithium-induced cyclotrimerisation reactions of organic nitriles, and comparison of their structures with that of a methylmagnesiotriazine derivative (D.R. Armstrong, K.W. Henderson, M. MacGregor, R.E. Mulvey, M.J. Ross, W. Clegg and P.A. O'Neil), 79
Magnetic susceptibility
Synthesis, magnetic susceptibility and X-ray crystal structure of $(^t$BuNCHCHN^{t}Bu$)_3$Yb (M.N. Bochkarev, A.A. Trifonov, F.G.N. Cloke, C.I. Dalby, P.T. Matsunaga, R.A. Andersen, H. Schumann, J. Loebel and H. Hemling), 177
Maleonitriledithiolate
Synthesis, spectral and electrochemical aspects of maleonitriledithiolate and dibenzyldithiomaleonitrile complexes of cyclopentadienylruthenium(II) (R. Prasad), 31
Manganese
Phosphido bridged heterodinuclear (Mn/Fe, Mn/Cr, Mn/W) complexes (J.T. Lin, A.C. Yeh, Y.C. Chou, T.Y.R. Tsai and Y.S. Wen), 147
Reaction of tricarbonyl(η^6-cycloheptatriene)manganese cation with phosphorus ylides (S.-g. Lee, Y.K. Chung, T.-S. Yoon and W. Shin), 135
Reactivity of $[(1,2,3,4\text{-tetrahydronaphthalene})Mn(CO)_3]PF_6$: molecular structure of $[(1,2,3,4\text{-tetrahydronaphthalene})Mn(CO)_2(C(O)Me)]$ (T.-Y. Lee, S.S. Lee, Y.K. Chung and S.W. Lee), 141

Synthesis and properties of 1,3- and 1,4-{(η^5-C_6H_6)$Mn(CO)_3$}$_2$-C_5H_4: molecular structure of [(μ-η^5:η^5-$C_{17}H_{15}$)(CH_3)-$Mn_2W(CO)_9$] (J.-A. Kim, T.-M. Chung, Y.K. Chung, J.-H. Jung and S.W. Lee), 211

Manganese sandwich complexes
Characterization of manganese sandwich complexes by ^{55}Mn NMR spectroscopy (B. Wrackmeyer, T. Hofmann and M. Herberhold), 255

Mass spectroscopy
Chemistry of coordinatively unsaturated and electron deficient carbonyl metallate ions. Gas phase reactions of $[Fe(CO)_2]^-$ with alcohols (I.K. Gregor and R.C. Gregor), 109

Mechanism
The reactions of silylenes on the chemically activated silica surface (Yu.V. Razskazovskii, M.V. Roginskaya and M.Ya. Mel'nikov), 249

Mercury
Synthesis and X-ray crystal structure of the heterometallic platinum–mercury cluster [{Pt_4(μ-CO)$_4$(PMe_2Ph)$_4$}{μ_3-HgI}$_2$] (K.-H. Dahmen, D. Imhof, L.M. Venanzi, T. Gerfin and V. Gramlich), 37

Metal
Synthesis, magnetic susceptibility and X-ray crystal structure of (^{t}BuNCHCHN^{t}Bu)$_3$Yb (M.N. Bochkarev, A.A. Trifonov, F.G.N. Cloke, C.I. Dalby, P.T. Matsunaga, R.A. Andersen, H. Schumann, J. Loebel and H. Hemling), 177

Metal carbonyl anions
Chemistry of coordinatively unsaturated and electron deficient carbonyl metallate ions. Gas phase reactions of $[Fe(CO)_2]^-$ with alcohols (I.K. Gregor and R.C. Gregor), 109
Phosphido bridged heterodinuclear (Mn/Fe, Mn/Cr, Mn/W) complexes (J.T. Lin, A.C. Yeh, Y.C. Chou, T.Y.R. Tsai and Y.S. Wen), 147

Metallocene
Synthesis of mixed-ring indenyl analogues of tungstenocene (I.S. Gonçalves and C.C. Romão), 155

Metallocenes
Synthesis and characterization of *ansa*-[1,1-bis(inden-1,1-diyl)-1-silacyclopentane]zirconium dichlorides. Crystal structures of *meso*- and *racemic*-[1,1-bis[inden-1,1-diyl)-1-silacyclopentane}-dichlorozirconium and *racemic*-[1,1-bis(4,5,6,7-tetrahydroinden-1,1-diyl)-1-sila-cylopentane]dichlorozirconium (H.J.G. Luttikhedde, R.P. Leino, J.H. Näsman, M. Ahlgrén and T. Pakkanen), 193

Michael addition
The first chiral racemic Fischer-type aminocarbene complex bearing a C_2 symmetry amine: stereochemical characteristics and application to Michael addition reactions (C. Baldoli, P. Del Buttero, E. Licandro, S. Maiorana, A. Papagni and A. Zanotti-Gerosa), 279

^{55}Mn NMR
Characterization of manganese sandwich complexes by ^{55}Mn NMR spectroscopy (B. Wrackmeyer, T. Hofmann and M. Herberhold), 255

Molybdenocene
Synthesis of mixed-ring indenyl analogues of tungstenocene (I.S. Gonçalves and C.C. Romão), 155

Molybdenum
Comparison of electrospray mass spectrometry with other soft ionization techniques for the characterisation of cationic π-hydrocarbon organometallic complexes (L.A.P. Kane-Maguire, R. Kanitz and M.M. Sheil), 243
Heterobimetallic Group 6-rhodium complexes III. [$M(CO)_3$(NN)-(dppm-*P*)] (M = Mo, W; NN = phen or bpy) as *P*-donor in M–Rh complexes (M. Cano, P. Ovejero and J.V. Heras), 63
Reactions of di- and poly-nuclear complexes. 13. Synthesis, structure and fluxional behaviour of hydrido- and thiolato- or selenato-bridged complexes [Mo_2Cp_2(μ-H)(μ-ER)$(CO)_4$] (E = S, R = Me, ^{t}Bu, Bz, or Ph; E = Se, R = Ph) (P. Schollhammer, F.Y. Pétillon, R. Pichon, S. Poder-Guillou, J. Talarmin, K.W. Muir and S.E. Girdwood), 183
Solvatochromism in substituted 2,2'-bipyridinetetracarbonyl–metal complexes of chromium, molybdenum and tungsten (P.N.W. Baxter and J.A. Connor), 115

Nickel
Electrochemical reduction of 1,10-bis(1-phenyl-3-methyl-5-hydroxy-4-pyrazolyl)-1,10-decanedione. Characterization of its electrogenerated mononuclear Co^{II}, Ni^{II} and Cu^{II} complexes. ESR properties of Co^{II} and Cu^{II} complexes (A. Louati, A. Kuncaka, M. Gross, C. Haubtmann, M. Bernard, J.-J. André and J.-P. Brunette), 95

NMR
Organotin esters of 3-(2-furanyl)-2-propenoic acid: their characterization and biological activity (M. Danish, H.G. Alt, A. Badshah, S. Ali, M. Mazhar and Nazar-ul-Islam), 51
Synthese und Charakterisierung von Poly(dialkenylsilylen-comethylenen) als Grundmaterialien von SiC-Fasern (W. Habel, A. Oelschläger und P. Sartori), 267

NMR-spectroscopy
Synthesis and X-ray crystal structure of the heterometallic platinum–mercury cluster [{Pt_4(μ-CO)$_4$(PMe_2Ph)$_4$}{μ_3-HgI}$_2$] (K.-H. Dahmen, D. Imhof, L.M. Venanzi, T. Gerfin and V. Gramlich), 37

NMR-study
Vinylstannanes: synthesis and characterization (T. Janati, J.-C. Guillemin and M. Soufiaoui), 57

N,N-dimethylaminoethylcyclopentadienyl titanium complexes
Der (*N,N*-Dimethylaminoethyl)cyclopentadienyl-Ligand in der Komplexchemie von Titan und Zirkon (P. Jutzi und J. Kleimeier), 287

N,N-dimethylaminoethylcyclopentadienyl zirconium complexes
Der (*N,N*-Dimethylaminoethyl)cyclopentadienyl-Ligand in der Komplexchemie von Titan und Zirkon (P. Jutzi und J. Kleimeier), 287

Nucleophilic addition
Reactivity of [(1,2,3,4-tetrahydronaphthalene)$Mn(CO)_3$]PF_6: molecular structure of [(1,2,3,4-tetrahydronaphthalene)$Mn(CO)_2$-(C(O)Me)] (T.-Y. Lee, S.S. Lee, Y.K. Chung and S.W. Lee), 141

Olefinated
Reaction of tricarbonyl(η^6-cycloheptatriene)manganese cation with phosphorus ylides (S.-g. Lee, Y.K. Chung, T.-S. Yoon and W. Shin), 135

Organoantimony
Antimony. Annual review covering the year 1991 (L.D. Freedman and G.O. Doak), 1

Organotin
Organotin esters of 3-(2-furanyl)-2-propenoic acid: their characterization and biological activity (M. Danish, H.G. Alt, A. Badshah, S. Ali, M. Mazhar and Nazar-ul-Islam), 51

Oxidative addition
Reactions of dicobalt octa(isocyanide) with 2-bromoacetophenone (Y. Yamamoto, T. Tanase and K. Sugano), 21

Palladium
Palladium catalyzed carbonylation of iodoarenes in aqueous solubilized systems (A.V. Cheprakov, N.V. Ponomareva and I.P. Beletskaya), 297

Palladium-catalyzed arylation of styrene and acrylic acid in water (N.A. Bumagin, V.V. Bykov, L.I. Sukhomlinova, T.P. Tolstaya and I.P. Beletskaya), 259

Zerovalent palladium and platinum complexes of aminomethylphosphines. Crystal structure of the palladium(0) dibenzylideneacetone complex [Pd(PhCH=CHCO=CHPh)((C_6H_{11})$_2$PCH$_2$)$_2$NMe)] (J. Fawcett, R.D.W. Kemmitt, D.R. Russell and O. Serindag), 171

Palladium catalysis

The palladium-catalyzed intramolecular cyclization of alkadienyl-substituted 1,3-diketones (R. Goddard, G. Hopp, P.W. Jolly, C. Krüger, R. Mynott and C. Wirtz), 163

Pentacarbonyliron

Synthesis of benzophenone by carbonylation of iodobenzene with [Bu^n_4N][HFe(CO)$_4$] (J.-J. Brunet and A. El Zaizi), 275

Phosphide

Phosphido bridged heterodinuclear (Mn/Fe, Mn/Cr, Mn/W) complexes (J.T. Lin, A.C. Yeh, Y.C. Chou, T.Y.R. Tsai and Y.S. Wen), 147

Phosphine

A convenient electrosynthesis of new complexes [Sn{Co(CO)$_3$PR$_3$}$_4$] and their spectroscopic characterization (K.-B. Riether, S. Pellegrini, A. Mortreux and E. Monflier), 123

Phosphine complexes

A convenient electrosynthesis of new complexes [Sn{Co(CO)$_3$PR$_3$}$_4$] and their spectroscopic characterization (K.-B. Riether, S. Pellegrini, A. Mortreux and E. Monflier), 123

Phosphonium

Reaction of tricarbonyl(η^6-cycloheptatriene)manganese cation with phosphorus ylides (S.-g. Lee, Y.K. Chung, T.-S. Yoon and W. Shin), 135

Platinum

Synthesis and X-ray crystal structure of the heterometallic platinum–mercury cluster [{Pt$_4$(μ-CO)$_4$(PMe$_2$Ph)$_4$}{μ_3-HgI}$_2$] (K.-H. Dahmen, D. Imhof, L.M. Venanzi, T. Gerfin and V. Gramlich), 37

Zerovalent palladium and platinum complexes of aminomethylphosphines. Crystal structure of the palladium(0) dibenzylideneacetone complex [Pd(PhCH=CHCO=CHPh)((C_6H_{11})$_2$PCH$_2$)$_2$NMe)] (J. Fawcett, R.D.W. Kemmitt, D.R. Russell and O. Serindag), 171

Podocarpic acid

Addition–protonation reactions of (η^6-arene)tricarbonylchromium(0) complexes of podocarpic acid derivatives: synthesis of steroidal alicyclic skeletons (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 199

Poly(Carbosilanes)

Synthese und Charakterisierung von Poly(dialkenylsilylen-co-methylenen) als Grundmaterialien von SiC-Fasern (W. Habel, A. Oelschläger und P. Sartori), 267

Poly(dialkenylsilylene-co-methylene)

Synthese und Charakterisierung von Poly(dialkenylsilylen-co-methylenen) als Grundmaterialien von SiC-Fasern (W. Habel, A. Oelschläger und P. Sartori), 267

Polymetallic

Synthesis and properties of 1,3- and 1,4-{(η^5-C_5H_6)Mn(CO)$_3$}$_2$-C_5H_4: molecular structure of [(μ-η^5:η^5:η^5-$C_{17}H_{15}$)(CH_3)-$Mn_2W(CO)_9$] (J.-A. Kim, T.-M. Chung, Y.K. Chung, J.-H. Jung and S.W. Lee), 211

Precursor

Synthese und Charakterisierung von Poly(dialkenylsilylen-co-methylenen) als Grundmaterialien von SiC-Fasern (W. Habel, A. Oelschläger und P. Sartori), 267

Preparation

Synthesis of mixed-ring indenyl analogues of tungstenocene (I.S. Gonçalves and C.C. Romão), 155

Pyrazoles

Dichlorodialkyltin complexes with 4-bromopyrazole. The crystal structure of bis(4-bromopyrazole-N^2)dichlorodimethyltin(IV) (U. Casellato, R. Graziani, V. Peruzzo and G. Plazzogna), 105

Pyrazoline complexes

Electrochemical reduction of 1,10-bis(1-phenyl-3-methyl-5-hydroxy-4-pyrazolyl)-1,10-decanedione. Characterization of its electrogenerated mononuclear Co^{II}, Ni^{II} and Cu^{II} complexes. ESR properties of Co^{II} and Cu^{II} complexes (A. Louati, A. Kuncaka, M. Gross, C. Haubtmann, M. Bernard, J.-J. André and J.-P. Brunette), 95

Pyrolysis

Synthese und Charakterisierung von Poly(dialkenylsilylen-co-methylenen) als Grundmaterialien von SiC-Fasern (W. Habel, A. Oelschläger und P. Sartori), 267

Radiolysis

Radiolytic synthesis and characterization of [Ru^{II}(acac)$_2$(CO)L] (L = MeOH, EtOH or Pr^iOH) (H. Remita, M.E. Brik, J.C. Daran and M.O. Delcourt), 283

Reaction mechanism

Etude de la réactivité de l'allyltriméthylsilane avec les cétones α-cyclopropaniques en présence de tétrachlorure de titane (H. Monti, M. Afshari et G. Léandri), 69

Reduction

Vinylstannanes: synthesis and characterization (T. Janati, J.-C. Guillemin and M. Soufiaoui), 57

Rhodium

Tetrahydrothiophene derivatives of metal carbonyl clusters (T. Teppana, S. Jääskeläinen, M. Ahlgrén, J. Pursiainen and T.A. Pakkanen), 217

Rhodium–Group 6 complexes

Heterobimetallic Group 6-rhodium complexes III. [M(CO)$_3$(NN)-(dppm-*P*)] (M = Mo, W; NN = phen or bpy) as *P*-donor in M–Rh complexes (M. Cano, P. Ovejero and J.V. Heras), 63

Ruthenium

Radiolytic synthesis and characterization of [Ru^{II}(acac)$_2$(CO)L] (L = MeOH, EtOH or Pr^iOH) (H. Remita, M.E. Brik, J.C. Daran and M.O. Delcourt), 283

Synthesis, spectral and electrochemical aspects of maleonitriledithiolate and dibenzyldithiomaleonitrile complexes of cyclopentadienylruthenium(II) (R. Prasad), 31

Tetrahydrothiophene derivatives of metal carbonyl clusters (T. Teppana, S. Jääskeläinen, M. Ahlgrén, J. Pursiainen and T.A. Pakkanen), 217

Si–C-fibres

Synthese und Charakterisierung von Poly(dialkenylsilylen-co-methylenen) als Grundmaterialien von SiC-Fasern (W. Habel, A. Oelschläger und P. Sartori), 267

Silacyclopentyl

Synthesis and characterization of *ansa*-[1,1-bis(inden-1,1-diyl)-1-silacyclopentane]zirconium dichlorides. Crystal structures of *meso*- and *racemic*-[1,1-bis[inden-1,1-diyl)-1-silacyclopentane]-dichlorozirconium and *racemic*-[1,1-bis(4,5,6,7-tetrahydroinden-1,1-diyl)-1-sila-cylopentane]dichlorozirconium (H.J.G. Luttikhedde, R.P. Leino, J.H. Näsman, M. Ahlgrén and T. Pakkanen), 193

Silicon
Etude de la réactivité de l'allyltriméthylsilane avec les cétones α-cyclopropaniques en présence de tétrachlorure de titane (H. Monti, M. Afshari et G. Léandri), 69
The reactions of silylenes on the chemically activated silica surface (Yu.V. Razskazovskii, M.V. Roginskaya and M.Ya. Mel'nikov), 249
Silylene
The reactions of silylenes on the chemically activated silica surface (Yu.V. Razskazovskii, M.V. Roginskaya and M.Ya. Mel'nikov), 249
Solvatochromism
Solvatochromism in substituted 2,2'-bipyridinetetracarbonyl–metal complexes of chromium, molybdenum and tungsten (P.N.W. Baxter and J.A. Connor), 115
Solvent
Palladium-catalyzed arylation of styrene and acrylic acid in water (N.A. Bumagin, V.V. Bykov, L.I. Sukhomlinova, T.P. Tolstaya and I.P. Beletskaya), 259
Stereochemistry
The first chiral racemic Fischer-type aminocarbene complex bearing a C_2 symmetry amine: stereochemical characteristics and application to Michael addition reactions (C. Baldoli, P. Del Buttero, E. Licandro, S. Maiorana, A. Papagni and A. Zanotti-Gerosa), 279
Structure
Cyclische Amine als intramolekulare Hilfsliganden in π-Komplexen des Titans (W.A. Herrmann, M.J.A. Morawietz, T. Priermeier und K. Mashima), 291
Synthesis
P–H-funktionelle Zirkonocen–Phosphido-Komplexe—Synthese und Molekülstruktur von cis-$[Cp'_2Zr(\mu\text{-}PHR)]_2$ (Cp' = C_5H_4Me, R = C_4H_9 (^{t}Bu), $C_{10}H_{15}$ (Ad)) (E. Hey-Hawkins, S. Kurz, J. Sieler und G. Baum), 229
Radiolytic synthesis and characterization of $[Ru^{II}(acac)_2(CO)L]$ (L = MeOH, EtOH or Pr^iOH) (H. Remita, M.E. Brik, J.C. Daran and M.O. Delcourt), 283
Synthesis of benzophenone by carbonylation of iodobenzene with $[Bu^n_4N][HFe(CO)_4]$ (J.-J. Brunet and A. El Zaizi), 275

Tetrahydronaphthalene
Reactivity of $[(1,2,3,4\text{-tetrahydronaphthalene})Mn(CO)_3]PF_6$: molecular structure of $[(1,2,3,4\text{-tetrahydronaphthalene})Mn(CO)_2(C(O)Me)]$ (T.-Y. Lee, S.S. Lee, Y.K. Chung and S.W. Lee), 141
Tetrahydrothiophene
Tetrahydrothiophene derivatives of metal carbonyl clusters (T. Teppana, S. Jääskeläinen, M. Ahlgrén, J. Pursiainen and T.A. Pakkanen), 217
Theoretical study
A theoretical approach to the molecular structure of vinylstannane and some structural isomers (A. Márquez, J. Anguiano, G. González and J. Fernández Sanz), 45
Tin
A convenient electrosynthesis of new complexes $[Sn\{Co(CO)_3PR_3\}_4]$ and their spectroscopic characterization (K.-B. Riether, S. Pellegrini, A. Mortreux and E. Monflier), 123
Dichlorodialkyltin complexes with 4-bromopyrazole. The crystal structure of bis(4-bromopyrazole-N^2)dichlorodimethyltin(IV) (U. Casellato, R. Graziani, V. Peruzzo and G. Plazzogna), 105
Study of halogen exchanges in (Z)-1-[2-(Bromochlorophenylstannyl)vinyl]-1-cyclohexanol by 2D ^{119}Sn EXSY NMR (F. Kayser, M. Biesemans, F. Fu, H. Pan, M. Gielen and R. Willem), 263
Vinylstannanes: synthesis and characterization (T. Janati, J.-C. Guillemin and M. Soufiaoui), 57
Titanium
Cyclische Amine als intramolekulare Hilfsliganden in π-Komplexen des Titans (W.A. Herrmann, M.J.A. Morawietz, T. Priermeier und K. Mashima), 291
Der (*N,N*-Dimethylaminoethyl)cyclopentadienyl-Ligand in der Komplexchemie von Titan und Zirkon (P. Jutzi und J. Kleimeier), 287
Etude de la réactivité de l'allyltriméthylsilane avec les cétones α-cyclopropaniques en présence de tétrachlorure de titane (H. Monti, M. Afshari et G. Léandri), 69
Triazine
Synthetic and theoretical MO calculational studies of lithiotriazine intermediates produced during alkyllithium-induced cyclotrimerisation reactions of organic nitriles, and comparison of their structures with that of a methylmagnesiotriazine derivative (D.R. Armstrong, K.W. Henderson, M. MacGregor, R.E. Mulvey, M.J. Ross, W. Clegg and P.A. O'Neil), 79
Tungsten
Comparison of electrospray mass spectrometry with other soft ionization techniques for the characterisation of cationic π-hydrocarbon organometallic complexes (L.A.P. Kane-Maguire, R. Kanitz and M.M. Sheil), 243
Heterobimetallic Group 6-rhodium complexes III. $[M(CO)_3(NN)(dppm\text{-}P)]$ (M = Mo, W; NN = phen or bpy) as *P*-donor in M–Rh complexes (M. Cano, P. Ovejero and J.V. Heras), 63
Solvatochromism in substituted 2,2'-bipyridinetetracarbonyl–metal complexes of chromium, molybdenum and tungsten (P.N.W. Baxter and J.A. Connor), 115
Synthesis and properties of 1,3- and 1,4-$\{(\eta^5\text{-}C_6H_6)Mn(CO)_3\}_2\text{-}C_5H_4$: molecular structure of $[(\mu\text{-}\eta^5:\eta^5:\eta^5\text{-}C_{17}H_{15})(CH_3)Mn_2W(CO)_9]$ (J.-A. Kim, T.-M. Chung, Y.K. Chung, J.-H. Jung and S.W. Lee), 211
Tungstenocene
Synthesis of mixed-ring indenyl analogues of tungstenocene (I.S. Gonçalves and C.C. Romão), 155

Vapour synthesis
Synthesis, magnetic susceptibility and X-ray crystal structure of $(^t$BuNCHCHN^{t}Bu$)_3$Yb (M.N. Bochkarev, A.A. Trifonov, F.G.N. Cloke, C.I. Dalby, P.T. Matsunaga, R.A. Andersen, H. Schumann, J. Loebel and H. Hemling), 177
Vinylstannane
A theoretical approach to the molecular structure of vinylstannane and some structural isomers (A. Márquez, J. Anguiano, G. González and J. Fernández Sanz), 45
Vinylstannanes
Vinylstannanes: synthesis and characterization (T. Janati, J.-C. Guillemin and M. Soufiaoui), 57
Visible spectra
Synthesis, spectral and electrochemical aspects of maleonitriledithiolate and dibenzyldithiomaleonitrile complexes of cyclopentadienylruthenium(II) (R. Prasad), 31

Water
Palladium catalyzed carbonylation of iodoarenes in aqueous solubilized systems (A.V. Cheprakov, N.V. Ponomareva and I.P. Beletskaya), 297
Palladium-catalyzed arylation of styrene and acrylic acid in water (N.A. Bumagin, V.V. Bykov, L.I. Sukhomlinova, T.P. Tolstaya and I.P. Beletskaya), 259
Water-soluble phosphines
A convenient electrosynthesis of new complexes $[Sn\{Co(CO)_3PR_3\}_4]$ and their spectroscopic characterization (K.-B. Riether, S. Pellegrini, A. Mortreux and E. Monflier), 123

X-ray
Amine adducts of bis(trifluoromethyl)borane, $(CF_3)_2BH$, crystal and molecular structure of $(CF_3)_2BH \cdot NMe_2CH_2Ph$ (D.J. Brauer and G. Pawelke), 129
Synthesis, magnetic susceptibility and X-ray crystal structure of $(^tBuNCHCHN^tBu)_3Yb$ (M.N. Bochkarev, A.A. Trifonov, F.G.N. Cloke, C.I. Dalby, P.T. Matsunaga, R.A. Andersen, H. Schumann, J. Loebel and H. Hemling), 177
X-ray structure
Dichlorodialkyltin complexes with 4-bromopyrazole. The crystal structure of bis(4-bromopyrazole-N^2)dichlorodimethyltin(IV) (U. Casellato, R. Graziani, V. Peruzzo and G. Plazzogna), 105
P–H-funktionelle Zirkonocen–Phosphido-Komplexe—Synthese und Molekülstruktur von cis-$[Cp'_2Zr(\mu\text{-}PHR)]_2$ ($Cp' = C_5H_4Me$, $R = C_4H_9$ (^{t}Bu), $C_{10}H_{15}$ (Ad)) (E. Hey-Hawkins, S. Kurz, J. Sieler und G. Baum), 229
Radiolytic synthesis and characterization of $[Ru^{II}(acac)_2(CO)L]$ (L = MeOH, EtOH or Pr^iOH) (H. Remita, M.E. Brik, J.C. Daran and M.O. Delcourt), 283
Reactivity of $[(1,2,3,4\text{-tetrahydronaphthalene})Mn(CO)_3]PF_6$: molecular structure of $[(1,2,3,4\text{-tetrahydronaphthalene})Mn(CO)_2(C(O)Me)]$ (T.-Y. Lee, S.S. Lee, Y.K. Chung and S.W. Lee), 141
Synthesis and X-ray crystal structure of the heterometallic platinum–mercury cluster $[(Pt_4(\mu\text{-}CO)_4(PMe_2Ph)_4)(\mu_3\text{-}HgI)_2]$ (K.-H. Dahmen, D. Imhof, L.M. Venanzi, T. Gerfin and V. Gramlich), 37

Ylide
Reaction of tricarbonyl(η^6-cycloheptatriene)manganese cation with phosphorus ylides (S.-g. Lee, Y.K. Chung, T.-S. Yoon and W. Shin), 135

Ytterbium
Synthesis, magnetic susceptibility and X-ray crystal structure of $(^tBuNCHCHN^tBu)_3Yb$ (M.N. Bochkarev, A.A. Trifonov, F.G.N. Cloke, C.I. Dalby, P.T. Matsunaga, R.A. Andersen, H. Schumann, J. Loebel and H. Hemling), 177

Zirconium
Der (*N,N*-Dimethylaminoethyl)cyclopentadienyl-Ligand in der Komplexchemie von Titan und Zirkon (P. Jutzi und J. Kleimeier), 287
Synthesis and characterization of *ansa*-[1,1-bis(inden-1,1-diyl)-1-silacyclopentane]zirconium dichlorides. Crystal structures of *meso*- and *racemic*-[1,1-bis[inden-1,1-diyl)-1-silacyclopentane]-dichlorozirconium and *racemic*-[1,1-bis(4,5,6,7-tetrahydroinden-1,1-diyl)-1-sila-cylopentane]dichlorozirconium (H.J.G. Luttikhedde, R.P. Leino, J.H. Näsman, M. Ahlgrén and T. Pakkanen), 193
Zirconocene–phosphidocomplexes
P–H-funktionelle Zirkonocen–Phosphido-Komplexe—Synthese und Molekülstruktur von cis-$[Cp'_2Zr(\mu\text{-}PHR)]_2$ ($Cp' = C_5H_4Me$, $R = C_4H_9$ (^{t}Bu), $C_{10}H_{15}$ (Ad)) (E. Hey-Hawkins, S. Kurz, J. Sieler und G. Baum), 229

Book Reviews
Bioinorganic Chemistry, I. Bertini, H.B. Gray, S.J. Lippard and J.S. Valentine (G.J. Leigh)), C3
Organosilicon Chemistry: From Molecules to Materials, N. Auner and J. Weis (Eds.) (C. Eaborn)), C1
Oxygenates by Homologation or CO Hydrogenation with Metal Complexes, G. Braca (Ed.) (E. Drent)), C1
The Organometallic Chemistry of the Transition Metals, R.H. Crabtree (G.J. Leigh)), C2